

## Declaration of Performance No. 0050 – CPR – 0107

- Unique identification code of the product type: Blast Furnace cement EN 197-1 – CEM III/A 52,5 L
- 2. Type, batch or serial number or any other element allowing identification of the construction product as required under article 11(4):

Sulfate Resistant Cement

3. Intended use or uses of the construction product, in accordance with the applicable harmonised specification, as foreseen by the manufacturer:

Preparation of concrete, mortar, grout etc.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Breedon Cement, Killaskillen, Kinnegad, Co. Westmeath

Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Not Applicable** 

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

System 1+

- 7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: Notified product certification body No. 0050 performed the determination of the product-type on the basis of type testing (including sampling), the initial inspection of the manufacturing plant and of factory production control, the continuous surveillance, assessment and evaluation of factory production control and the audit-testing od samples taken before placing the product on the market under system 1+ and issue the certificate of constancy of performance.
- 8. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Common cements	CEM III/A 52,5 L	EN 197-1:2011
Compressive strength	52,5 L	
Setting Time	Pass	
Insoluble residue	Pass	
Loss on ignition	Pass	
Soundness		
- Expansion	Pass	
- SO₃ content	Pass	
Chloride content	Pass	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Jude Lagan Managing Director Breedon Cement

15<sup>th</sup> Mar 2023







